APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office	SEP 10 2003
Returned to applicant for correction.	
Corrected application filed	<u> </u>
Map filed	DEC 31 1979 under 38418
· ·	**
The applicant Storey County Properties application for permission to appropriate the public stated.	
1. The source of the proposed appropriation is Spring	; #4
2. The amount of water applied for is 0.25 cfs, not to	exceed 58.98 mga second-feet
(a) If stored in reservoir give number of acre-	cet
 3. The water to be used for Industrial and Domestic 4. If use is for: (a) Irrigation, state number of acres to be irrig (b) Stockwater, state number and kinds of ani (c) Other use (describe fully under No. 12. "R (d) Power: (1) Horsepower developed (2) Point of return of water to stream 	ated mals to be watered
5. The water is to be diverted from its source at the f R.21E., MDB&M, or at a point from which the South 53°11'19" West, 2,031 feet	ollowing point SE¼ SW¼ Section 1, T.18N.,
6. Place of Use All of Section 19; NW4, S½, W½ portion S½NW¼, and portion S½NE½ Section 21 and portion SW¼SW½ Section 26; portion S½, 129, 30, 31, 32, 33, 34, 35, and 36, T.19N., R.21E.; 13, all of Sections 24 and 25; E½E½ Section 26 Section 1; E½ Section 2; NW½, N½NE½, S½ Section 2; NW½, N½NE½, Section 2; NW½, N½NE½, Séction 2; NW½, N½NE½, S½ Section 2; NW½, N½, N½, N½, N½, N½, N½, N½, N½, N½, N	; portion SW4 Section 22; portion S4SE4, portion NW4 Section 27; all of Sections 28, W4, SW4NE4 NW4SE4, S4SE4 Section 5; all of Section 36, T.19N., R.20E.; all of
7. Use will begin about January 1 and end about De	cember 31 of each year.
8. Description of proposed works Diversion dam, an	nd pipelines to proposed areas of use.
9. Estimated cost of works at least \$5,000	
10. Estimated time required to construct works 2 year	rs
11. Estimated time required to complete the applicati	on of water to beneficial use 5 vcars

12. Remarks: This application, along with applications to appropriate water from Springs 1 and 2, is being filed to obtain use of additional water for an existing quarry operation. The Point of Diversion is the same as under Permit 40182, which was withdrawn in 1987. Access to the spring area by wildlife will be maintained at the source. Please use map on file under

Permit 40182 to support the proposed point of diversion and under Permit 63865 to support the proposed Place of Use.

Bruce R. Scott, Resource Concepts, Inc.
By s/Bruce R. Scott
340 North Minnesota Street
Carson City, Nevada 89703

Compared_cm[/sam	Carson City, Nevada 89703
Protested	

<u>DENIAL</u> OF STATE ENGINEER

This application is hereby denied on the grounds that there is insufficient water available at its proposed point of diversion, its approval would conflict with existing water rights and would threaten to prove detrimental to the public interest.

IN TESTIMONY WHEREOF, I, AUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 21st day of October

State Engineer